## **EXECUTIVE AGENCY "ROAD TRANSPORT ADMINISTRATION"**

## EXAM QUESTIONS FOR CANDIDATES FOR ACQUISITION OF DRIVING LICENSE FROM CATEGORY D

Topic 4: Requirements applicable to motor vehicles used for transport services

Points	Number	Question and answers
3	1/1	The buses used for public transportation of passengers must meet the respective requirements for transport roadworthiness.  correct incorrect
3	2/1	The technical condition of buses used for the transportation of passengers according to established transport schemes is inspected before the departure of the vehicles from the operation center  correct incorrect
3	3/1	The following documents must be issued for buses used for the transportation of passengers according to established transport schemes:  a certificate that the vehicle may be used for the public transportation of passengers on the territory of the Republic of Bulgaria a certified copy of the license – in case of transportation under a Community license a permit for transportation issued by the municipality where the bus is registered
3	4/1	The buses used for the "occasional transportation" of children and/or students, must carry:  a certificate of categorization according to the international classification system of buses and coaches  a permit for travel during nighttime  a statement by the owner that the bus/coach is used for the transportation of children
3	5/1	The design of Class I buses (used for transportation of more than 22 passengers, excluding the driver's seat) provides areas for standing passengers.  correct incorrect

3	6/1	Class II buses (used for the transportation of more than 22 passengers, excluding the driver's seat) are designed for the transportation of predominantly seated passengers, and:  must have areas for standing passengers  may be without areas designed for standing passengers
3	7/1	Class III buses, used for the transportation of more than 22 passengers, excluding the driver's seat, are designed for the transportation of seated passengers only.  correct incorrect
3	8/1	Class A buses, used for the transportation of not more than 22 passengers, excluding the driver's seat, are designed for the transportation of predominantly standing passengers.  correct incorrect
3	9/1	Class B buses, used for the transportation of not more than 22 passengers, excluding the driver's seat, are designed for the transportation of seated passengers only.  correct incorrect
3	10/1	In case the Class II buses, used for the transportation of more than 22 passengers, excluding the driver's seat, are provided with a separate section for standing passengers, its area must not exceed the area of:  two double seats two single seats four double seats
3	11/1	Class A buses, used for transportation of not more than 22 passengers, excluding the driver's seat:  are designed for transportation of predominantly standing passengers may have also seats for seated passengers are designed for transportation of seated passengers only
3	12/1	Class B buses, used for transportation of not more than 22 passengers, excluding the driver's seat:  are designed for transportation of predominantly standing passengers may have also seats for seated passengers are designed for transportation of seated passengers only

3	13/1	The Class I buses, used for the transportation of more than 22 passengers, excluding the driver's seat, are designed also to provide space:  for standing passengers for standing passengers moving within the bus passenger compartment for seated passengers only
3	14/1	The Class III buses, used for the transportation of more than 22 passengers, excluding the driver's seat, are designed to provide space:  standing passengers only seated passengers only for seated and standing passengers
3	15/1	The Class II buses, used for the transportation of more than 22 passengers, excluding the driver's seat, are designed to provide space:  for standing passengers only for seated passengers only for seated and standing passengers
3	16/1	Transport services along supplementary city bus lines are carried out by:  Class A buses only Class B buses only Class A and Class B buses
3	17/1	The bus used for the transportation of an organized group of children is marked with the respective identification sign:  at the front only at the rear only at the front and at the rear
3	18/1	This identification sign is used to mark:  buses used to carry an organized group of children  buses used to carry children up to 8 years of age  all road vehicles carrying children
3	19/1	Is the driver of a bus used to carry an organized group of children obliged to place the respective identification signs?  yes  no

3	20/1	What is the period for periodical inspections of the technical roadworthiness of buses?  1 year 6 months 3 months
3	21/1	Vehicles with more than 9 seats, including the driver's seat, used for the transportation of passengers, must be equipped with tachographs.  correct incorrect
3	22/1	The buses used for the international transportation of passengers must be equipped with tachographs.  correct incorrect
3	23/1	Tachographs are not compulsory for buses used for servicing bus lines on the territory of the Republic of Bulgaria with a route length of up to 50 km.  correct incorrect
3	24/1	The "speed limiting device" is a device, whose main function is to control the feed of fuel to the engine with the objective to limit the speed of the vehicle up to a preset value.  correct incorrect
3	25/1	Buses with a date of first registration after October 1st, 2001 must be equipped with a speed limiting devices if their technically permissible maximum mass:  exceeds 10 t is between 3,5 and 10 t is between 2,5 and 3,5 t is up to 2,5 t
3	26/1	Speed limiting devices are not compulsory for buses, whose maximum design speed is:  less than 100 km/h less than 110 km/h less than 120 km/h

3	27/1	Speed limiting devices are not compulsory for buses used for servicing city lines within the municipal transport scheme:  correct incorrect
3	28/1	The speed limiting device on buses with a technically permissible maximum mass above 10 t and used for the transportation of passengers must be adjusted to limit the maximum speed to:  80 km/h 90 km/h 100 km /h