poin ts	К	N⁰	Question, answers	Figure
2		12/1.0	This road sign prohibits: stopping for a stay parking overtaking moving backwards	
2		12/1.1	After which of these signs is it prohibited to stop for a stay on the of the second state of the second st	Iriveway?
2		12/2.	After this road sign: it is not allowed to stop for a stay parking is prohibited it is allowed to stop for a stay it is allowed to park	
2		12/3.0	This road sign prohibits: parking stopping for a stay staying and parking	
2		12/3.1	After which of these signs is it prohibited to park in the driveway?	
2		12/4.	After this road sign: it is allowed to stop for a stay parking is prohibited it is not allowed to stay parking is permitted	
2		12/5.	Which passenger car has correctly stopped for a stay? the red car only the blue car only both cars	
2		12/6.0	Is it allowed to stop on the driveway for a passenger to get off from the car after this sign? no yes	
2		12/6.1	Is it allowed to stop on the driveway for loading and unloading activities after this sign?	

Theme: 12. STAY, PARKING, STATIONARY INOPERATIVE MOTOR VEHICLE

2	12/7	This road sign: Indicates a place designated for parking of road vehicles, serving	E
		people with permanent disabilities Warns of possible occurrence of road vehicles, serving people with	C •
		permanent disabilities	
		Prohibits the movement of road vehicles, serving people with permanent disabilities	
		Indicates a road line for road vehicles, serving people with permanent disabilities	
2	12/8	Is the presence of the driver near the vehicle obligatory, when he has stopped for a stay?	
		yes no	
2	12/9	The stopped vehicle is in a stay position, when the driver is close	
		to it and he: has stopped for boarding of passengers	
		has stopped for getting off of passengers	
		has stopped for loading and unloading is waiting for the arrival of a passenger	
	40/40		
2	12/10	not stop the passing of other vehicles	
		have the engine running	
		switch on the low-beam headlights	
2	12/10	1 The parked vehicle must: not impede the other drivers to leave their place of parking	
		not stop the passing of the other vehicles	
		not be left with gears engaged	
		be left with radio switched off	
2	12/11	0 Which vehicle has stopped incorrectly for a stay? the truck only	
		the passenger car only	
		both cars	
2	12/12		
		the truck only the passenger car only	
		both cars	
2	12/13		
		prohibited allowed	
2	12/13	After this road sign the parking of a road vehicle on the driveway	
		is: prohibited	
		allowed	

2	12/14.0.	Is the truck properly stopped for a stay? yes, because it is outside the driveway no, because it is parked after a sign prohibiting the overtaking no, because the area is not indicated as a parking space	
2	12/14.1	Is the truck parked correctly? yes no	
2	12/15.	The stopping after the sign on the driveway for a passenger to board the vehicle is: prohibited allowed	
2	12/16.	In populated area, a motor vehicle shall be stopped for a stay: at the rightmost part of the driveway mandatorily on the sidewalk no more than 70 cm from the sidewalk at the rightmost part of the roadway	
2	12/17.	Stopping for a stay on a one-way road in a populated area is: allowed at the right side of the road allowed at the left side of the road if it does not impede the movement of the road vehicles allowed at the left side of the road, without restrictions	
2	12/18.	The stay on the left side of the one-way streets in populated areas is: allowed, if it does not impede the movement of the road vehicles prohibited allowed without restriction allowed, but for loading and unloading only	
2	12/19.	In this situation, has the passenger car stopped correctly for a stay? yes, because it does not impede the traffic no, because the stay is allowed on the right side of the driveway only	
2	12/20.	In this situation, when both passenger cars have stopped for a stay on a one-way road: the blue car has stopped correctly, if this does not impede the movement the red car has stopped correctly, because the right side of the road is intended for a stay the blue car has stopped incorrectly, because the stay on the left side is prohibited in all cases	
2	12/22.	When parking in a populated area, motor vehicle should be stopped: at the rightmost of the driveway mandatorily on the sidewalk no more than 70 cm from the sidewalk at the rightmost of the roadway	
2	12/23.0	On which side of a one-way road is parking in a populated area permitted? on the right side	

		on the left side	
		on both sides	
2	12/23.1	The parking on the left side of one-way road in a populated area is: prohibited allowed, when the driver doesn't leave the vehicle allowed, if not impeding the traffic prohibited for trucks only	
2	12/24.	In this situation, is the passenger car properly parked? no, because parking is allowed on the right side of the driveway only yes, because it is not impeding the traffic	
2	12/25.	In this situation, which of the passenger cars is parked incorrectly? the blue car the red car	
2	12/26.	Which passenger car is parked properly? the red car only the blue car only both cars	
2	12/27.0	After this sign, the stopping on the driveway is: allowed for a passenger to get off the car allowed for loading and unloading activities prohibited for parking allowed for a passenger to get into the car	
2	12/27.1	After this sign, it is allowed to stop on the driveway for: a passenger to get off the car performing loading and unloading activity a passenger to get on the car parking	
2	12/28.	Where in the roads outside the populated areas is the stay permitted? outside the driveway it is allowed to stay at the rightmost of the roadway when the road side is not wide enough in the specially designated areas only	
2	12/30.	On a road outside the populated area, where the road side has insufficient width, the stopping for a stay is: allowed at the rightmost of the roadway allowed at the rightmost road lane allowed at the rightmost of the driveway prohibited	
2	12/31.0	Is the truck properly stopped for a stay? yes no	

	10/04.4	Is the truck correctly stopped for a stay?	
2	12/31.1	yes, because it is at the rightmost of the roadway	
		no, because it should be outside the driveway	
		no, because the area is not indicated as a parking space	
2	12/32.	Where on the roads outside the populated areas is the parking allowed?	
		outside the driveway	
		on the designated areas for this purpose	
		at the rightmost of the driveway	
2	12/33.0	Is the truck parked properly on this road, outside the populated	
		area?	
		no	
		yes	
2	12/33.1	Is the truck parked properly on this road, outside the populated	
		area?	
		no, because it should be outside the driveway	
		yes, because it is at the rightmost of the roadway no, because the area is not indicated as a parking space	
		no, because the area is not indicated as a parking space	
2	12/34.0	The stopping for a stay is prohibited:	
2	12/34.0	on a pedestrian crossing	
		at a distance of less than 5 m before a pedestrian crossing	
		at a distance of less than 5 m after a pedestrian crossing	
2	12/34.1	The stopping for a stay is prohibited:	
		on a bicycle path	
		at a distance of less than 5 meters before the bicycle path	
		at a distance of less than 5 meters after the bicycle path	
2	12/35	The stopping for a stay before a pedestrian crossing is prohibited at a distance less than:	
		5 m	
		10 m	
		15 m	
 		20 m	
2	12/36.	Which of the vehicles has stopped properly for a stay?	
		the truck	
		the bus	
2	12/37.0	The stopping for a stay is prohibited:	
۷	12/37.0	in a tunnel	
		in a subway	
		in a section of the road under repair	
		on an overpass	
2	12/37.1	The stopping for a stay is prohibited:	
		on a bridge	
		in a tunnel	
		immediately after the pedestrian crossing on a section of the road slope	
2	12/38.	The stopping for a stay is prohibited:	

		in a narrowed section of the road	
		in an area of restricted visibility	
		on a one-way road	
		on a section of the road under repair	
2	12/39.	The stopping for a stay is prohibited:	
2	12/39.	on the driveway where a road sign prohibits overtaking	
		on a road lane designated for movement of slow-moving road vehicles,	
		indicated by a road sign	
		on a place where a road vehicle prevents other road users from seeing	
		a road sign	
		on a section of the road with heavy traffic	
2	12/40.	In which of these places is stopping for a stay prohibited?	
		in places in which a road vehicle poses a threat to or impedes the traffic	
		in places where a road vehicle prevents other road users from seeing	
		the traffic lights	
		next to another road vehicle which has stopped for a stay or a parked	
		road vehicle, from the traffic side	
		on a one-way road	
2	12/41.	The stopping for a stay is prohibited:	
		in places where the vehicle could cover road sign	
		in places where the vehicle could cover the traffic-lights	
		in streets in which trams are moving	
		in front of theaters' and cinemas' entrances	
2	12/42.	The stopping for a stay is prohibited:	
		in a narrowed road section	
		on the driveway where the distance between road vehicles and he road markings prohibited for crossing is less than 3 m	
		on an unlit section of the road	
		in reduced visibility below 50 m	
2	12/43.	The stopping for a stay is prohibited:	
2	12/43.	in a place with limited visibility	
		on a tram line	
		on a railroad	
		on an unlit section of the road	
2	12/44.0	Parking is prohibited:	
2	12/11.0	on the pedestrian crossing	
		at a distance of less than 5 m before a pedestrian crossing	
		at a distance of less than 5 m after a pedestrian crossing	
2	12/44.1	Parking is prohibited:	
		on a bicycle path	
		at a distance of less than 5 meters before the bicycle path	
		at a distance of less than 5 meters after the bicycle path	
2	12/45.	Parking is prohibited before a pedestrian crossing, at a distance	
		less than:	
		5 m	
		10 m 15 m	
		20 m	
	<u> </u>		
2	12/46.	Which of the vehicles is parked in violation of the traffic rules?	
		the bus	

I			
2	12/47.	When the parking on the sidewalk is allowed, the distance between the vehicle and the building must be not less than:	
		2.0 m	
		0.5 m	
		1.0 m	
		1.5 m	
2	12/48.	When the parking on the sidewalk is allowed, the maximum permissible mass of the parked vehicle must not be greater than:	
		2.5 tons	
		1.0 tons	
		1.5 tons	
		2.0 tons	
2	12/49.	Parking is prohibited:	
		on a place where the road vehicle poses a threat to or impede the traffic	
		on a place where the road vehicle prevents other road users from seeing a road sign	
		on a place where the road vehicle prevents other road users from	
		seeing the traffic-lights	
		on a one-way road	
2	12/50.	Parking is prohibited:	
		in a tunnel	
		in a subway	
		on an overpass	
		on a section of the road slope	
2	12/51.	Parking is prohibited:	
		in a narrowed section of the road	
		in an area of restricted visibility	
		on the tram line	
		on a section of the road slope	
2	12/52.	Parking is prohibited:	
		on the driveway if the distance between the road vehicles and the road marking prohibited for crossing is less than 3 m	
		on the driveway if a road sign prohibits overtaking	
		on the road lane designated for movement of slow moving road	
		vehicles, indicated by a road sign	
		on a section of the road with heavy traffic	
2	12/53.	Parking is prohibited:	
-	12/00.	in front of entrances to parks, theatres, cinemas, enterprises	
		in places where it is possible to have road vehicles entering or exiting	
		directly in front of entrances of garages, when difficult access to them	
		on a section of the road under repair	
2	12/54.	The parking is prohibited:	
		In areas designated for road vehicles, serving people with permanent disabilities	
		Next to parked or stopped for a stay road vehicles, from the side of the movement	
		On a bridge	
		On a part of the road in repair	
2	12/55.0	Parking is prohibited:	
-	12/00.0	at the stops of the regular public transport vehicles	
		close to a tram line, which may impede the movement of the tram	
		on streets where trams move	
		on the tram line	

2	12/55.1	Parking is prohibited: immediately in front of entrances to buildings, if it impedes the access to them in front of entrances of schools and kindergartens on the sidewalks adjacent to schools and kindergartens in front of hospitals The stay on the driveway is prohibited, if the distance between the road vehicles and the road marking, prohibited for crossing is:	
		1 m 2 m 2.5 m 3.5 m	
2	12/56.1	When parking on the driveway, the driver is in violation, if the distance between the road vehicle and the road marking, prohibited for crossing is: 1 m 2 m 2.5 m 3.5 m	
2	12/57.0	Are road vehicles allowed to stay in road sections under repair? yes no	
2	12/57.1	Is parking of road vehicles allowed in road sections under repair? yes no	
2	12/58.0	Are road vehicles allowed to stay in narrowed sections of the road? no yes	
2	12/58.1	Is parking of road vehicles allowed in narrowed sections of the road? no yes	
2	12/59.0	Road vehicles are prohibited to stay in a road junction and at a distance from it, at least:5 meters before a road junction5 m after a road junction10 meters before a road junction10 meters after a road junction10 meters after a road junction	
2	12/59.1	Road vehicles are prohibited to park in a road junction and at a distance from it, at least: 5 meters before a road junction 5 m after a road junction 10 meters before a road junction 10 meters after a road junction	
2	12/60.0	When stopping for a stay before a road junction, the driver is in violation, if the distance between the vehicle and the road junction is: 2 m 4 m 6 m 10 m	
2	12/60.1	When parking before a road junction, the driver is in violation, if the distance between the vehicle and the road junction is: 2 m	

		4 m	
		6 m	
		10 m	
2	12/61.	In a populated area, the warning light-reflecting triangle should be placed:	
		at a distance not less than 30 m from the damaged road vehicle	
		on the road lane occupied by the damaged road vehicle	
		against the direction of movement of the vehicles which are moving around the damaged road vehicle	
		on the sidewalk	
2	12/62.	On roads where the allowed speed is higher than 90 km / h, the warning light-reflecting triangle should be placed at a distance from the vehicle, not less than:	
		100 m	
		30 m	
		50 m	
		150 m	
2	12/63.	On roads where the allowed speed is lower than 90 km / h, the warning light-reflecting triangle is placed at a distance from the vehicle, not less than:	
		30 m	
		50 m	
		70 m	
		100 m	
2	12/64.	If moving the damaged vehicle away from the driveway is not possible, the repair shall be carried out:	
		after placing the appropriate signals for designating the vehicle	
		after the driver has put on a light-reflective vest	
		after informing the control authorities	
		after informing the respective Road Service	
2	12/65.	When the repair of a road vehicle which is on the driveway is carried out, the driver must:	
		wear a light-reflective vest when outside the vehicle	
		designate the vehicle	
		inform the control authorities for the damage	
		call "Road Assistance"	